

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### SAFETY DATA SHEET

## Crystalbrite Bio Laundry Powder

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**▼**Trade name

Crystalbrite Bio Laundry Powder

▼ Product no.

031118

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product

Restricted to professional users.

Product code (A.I.S.E.)

AISE-P103 / Laundry detergent. Manual process.

Use descriptors (REACH)

# Product category Description PC 35 Washing and Cleaning Products (including solvent based products)

#### Uses advised against

None known.

### 1.3. Details of the supplier of the safety data sheet

### Company and address

### Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon,

**OX16 1RB** 

**United Kingdom** 

Tel: +44(0) 1295 251 721

www.cleenol.com

E-mail

technical.enquiries@cleenol.co.uk

Revision

15/10/2024

**SDS Version** 

1.0

Date of previous version

15/10/2024 (1.0)

### 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 112 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878



#### Signal word

Danger

#### Hazard statement(s)

Causes serious eye damage. (H318)

### Precautionary statement(s)

#### General

\_

#### Prevention

Wear eye protection/protective gloves. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

Immediately call a POISON CENTER/doctor. (P310)

#### Storage

-

#### Disposal

ď

#### **▼** Hazardous substances

Disodium carbonate, compound with hydrogen peroxide (2:3)

Sodium Metasilicate

Sodium dodecylbenzenesulfonate

subtilisin

### ▼ Additional labelling

EUH208, Contains amylase, α-, subtilisin, Lipase, triacylglycerol. May produce an allergic reaction.

### ▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Enzymes

#### 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium carbonate	CAS No.: 497-19-8 EC No.: 207-838-8 UK-REACH: Index No.: 011-005-00-2	15-25%	Eye Irrit. 2, H319	
Disodium carbonate, compound with hydrogen peroxide (2:3)	CAS No.: 15630-89-4 EC No.: 239-707-6 UK-REACH: Index No.:	5-10%	Ox. Sol. 2, H272 Acute Tox. 4, H302 Eye Dam. 1, H318	
Sodium Metasilicate	CAS No.: 10213-79-3 EC No.: 229-912-9 UK-REACH: 01-2119449811-37-XXXX Index No.:	3-5%	Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

. 4, H302 2, H315 1, H318
s. 1, H334
. 4, H302 2, H315 1, H318 s. 1, H334 , H335 cute 1, H400 (M=1) hronic 2, H411
s. 1, H334

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### **▼** Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

#### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

### 4.2. ▼ Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may produce an allergic reaction through inhalation. The



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

allergic reaction typically takes place within an hour after exposure. The reaction results in an inflammatory reaction to the lungs.

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.

Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

High amounts of dust can cause coughing and general irritation of the respiratory airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

Some metal oxides

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Collect spills carefully. Moist the material with water in order to prevent the formation and propagation of dust. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Powder trickling out onto the floor or onto other containers must be prevented.

### Recommended storage material

Keep only in original packaging.

Storage conditions



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Dry, cool and well ventilated 6 - 40°C

Incompatible materials

No specific requirements

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

### 8.1. ▼ Control parameters

subtilisin

Long term exposure limit (8 hours) (mg/m³): 0,00004

Annotations:

amylase, α-

Sen = Capable of causing occupational asthma.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### **▼ DNEL**

arriyiase, u-		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	15 ng/m³
Long term – Local effects - Workers	Inhalation	60 ng/m³
Disodium carbonate, compound with hydrogen peroxide	(2:3)	
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	6.4 mg/cm <sup>2</sup>
Long term – Local effects - Workers	Dermal	12.8 mg/cm <sup>2</sup>
Short term – Local effects - General population	Dermal	6.4 mg/cm <sup>2</sup>
Short term – Local effects - Workers	Dermal	12.8 mg/cm <sup>2</sup>
Long term – Local effects - Workers	Inhalation	5 mg/m³
Lipase, triacylglycerol		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	15 ng/m³
Long term – Local effects - Workers	Inhalation	60 ng/m³
sodium carbonate		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	5 mg/m³
Long term – Local effects - Workers	Inhalation	10 mg/m³
Sodium dodecylbenzenesulfonate		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	787 μg/cm²
Long term – Local effects - Workers	Dermal	1.57 mg/cm <sup>2</sup>
Long term – Systemic effects - General population	Dermal	28.6 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	57.2 mg/kg bw/day
Short term – Local effects - General population	Dermal	787 μg/cm²
Short term – Local effects - Workers	Dermal	1.57 mg/cm <sup>2</sup>
Short term – Systemic effects - General population	Dermal	40 mg/kg bw/day



For a cleaner, safer world

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Short term – Systemic effects - Workers	Dermal	80 mg/kg bw/day
Long term – Local effects - General population	Inhalation	26 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	52 mg/m³
Long term – Systemic effects - General population	Inhalation	26 mg/m³
Long term – Systemic effects - Workers	Inhalation	52 mg/m³
Short term – Local effects - General population	Inhalation	26 mg/m³
Short term – Local effects - Workers	Inhalation	52 mg/m³
Short term – Systemic effects - General population	Inhalation	26 mg/m³
Short term – Systemic effects - Workers	Inhalation	52 mg/m³
Long term – Systemic effects - General population	Oral	13 mg/kg bw/day
Short term – Systemic effects - General population	Oral	13 mg/kg bw/day
subtilisin		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	15 ng/m³
Long term – Local effects - Workers	Inhalation	60 ng/m³
Long term – Systemic effects - General population	Oral	2.86 mg/kg bw/day
Short term – Systemic effects - General population	Oral	17.28 mg/kg bw/da
PNEC amylase, α-		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		5.2 μg/L
Intermittent release (freshwater)		52 μg/L
Marine water		520 ng/L
Sewage treatment plant		65 mg/L
Soil		680 ng/kg
Disodium carbonate, compound with hydrogen peroxide (2:3	n)	
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater	- п.	35 μg/L
Intermittent release (freshwater)		35 μg/L
Marine water		35 μg/L
Sewage treatment plant		16.24 mg/L
		. 3.2
Lipase, triacylglycerol	Dunation of Form	DAIEC:
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		15.5 μg/L
Intermittent release (freshwater)		155 μg/L
Marine water		1.55 μg/L
Sewage treatment plant		65 mg/L
Soil		1.85 µg/kg
Sodium dodecylbenzenesulfonate		
Route of exposure:	Duration of Exposure:	PNEC:
Air		10 mg/m³
Freshwater		693 µg/L
Freshwater sediment		27.5 mg/kg



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Predators20 mg/kgSewage treatment plant50 mg/LSoil25 mg/kgsubtilisinRoute of exposure:PNEC:Freshwater1.7 μg/L			
Marine water sediment2.75 mg/kgPredators20 mg/kgSewage treatment plant50 mg/LSoil25 mg/kgsubtilisinNuration of Exposure:PNEC:Freshwater1.7 μg/L	Intermittent release (freshwater)		654 μg/L
Predators20 mg/kgSewage treatment plant50 mg/LSoil25 mg/kgsubtilisinRoute of exposure:PNEC:Freshwater1.7 μg/L	Marine water		1 mg/L
Sewage treatment plant       50 mg/L         Soil       25 mg/kg         subtilisin       PNEC:         Freshwater       1.7 μg/L	Marine water sediment		2.75 mg/kg
Soil 25 mg/kg subtilisin Route of exposure: PNEC: Freshwater 1.7 μg/L	Predators		20 mg/kg
subtilisin  Route of exposure: Preshwater  Duration of Exposure: PNEC: 1.7 µg/L	Sewage treatment plant		50 mg/L
Route of exposure:Duration of Exposure:PNEC:Freshwater1.7 μg/L	Soil		25 mg/kg
Freshwater 1.7 µg/L	subtilisin		
	Route of exposure:	Duration of Exposure:	PNEC:
Intermediate values (freely value)	Freshwater		1.7 μg/L
Intermittent release (freshwater) 900 ng/L	Intermittent release (freshwater)		900 ng/L
Marine water 170 ng/L	Marine water		170 ng/L
Sewage treatment plant 65 mg/L			6E ma/l
50 mg/L	Sewage treatment plant		65 mg/L

### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### **Exposure scenarios**

There are no exposure scenarios implemented for this product.

#### **▼** Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### ▼Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Airborne gas and dust concentrations must be kept at a minimum. Provide efficient mechanical ventilation. If not possible use suitable respiratory equipment.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

### Individual protection measures, such as personal protective equipment

#### Generally

Take off contaminated clothing and wash it before reuse.

Use only UKCA marked protective equipment.

#### Respiratory Equipment

Туре	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation.			

#### Skin protection

Recommended	Type/Category	Standards
No specific requirements.	-	-

### Hand protection



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
In the event of prolonged exposure or high concentrations	Gloves	-	> 360	EN374	

### Eye protection

Work situation	Туре	Standards
In the event of prolonged exposure or high concentrations	Safety glasses	EN166



#### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state

Powder

Colour

White

Odour / Odour threshold

Of perfume

рН

9.5 - 10

pH in solution

(1%)

Density (g/cm³)

-

Relative density

1.1 (20 °C)

Kinematic viscosity

Does not apply to solids.

Particle characteristics

No relevant or available data due to the nature of the product.

#### Phase changes

Melting point/Freezing point (°C)

No relevant or available data due to the nature of the product.

Softening point/range (°C)

Does not apply to solids.

Boiling point (°C)

Does not apply to solids.

Vapour pressure

No relevant or available data due to the nature of the product.

Relative vapour density

Does not apply to solids.

Decomposition temperature (°C)

No relevant or available data due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Does not apply to solids.

Flammability (°C)

No relevant or available data due to the nature of the product.

Auto-ignition temperature (°C)

No relevant or available data due to the nature of the product.

Lower and upper explosion limit (% v/v)

Does not apply to solids.

Solubility



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Solubility in water

Very soluble

### n-octanol/water coefficient (LogKow)

No relevant or available data due to the nature of the product.

#### Solubility in fat (q/L)

No relevant or available data due to the nature of the product.

#### 9.2. Other information

#### Other physical and chemical parameters

No data available.

### Oxidizing properties

No relevant or available data due to the nature of the product.

#### SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Extremes of temperature

Moisture

### 10.5. Incompatible materials

No specific requirements

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

#### SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Causes serious eye damage.

### **▼** Respiratory sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

### Long term effects

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

#### 12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. ▼ Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### **EWC** code

Not applicable.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

<sup>\*\*</sup> Environmental hazards



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Not applicable.

#### ▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Enzymes

#### Additional information

Not applicable.

#### Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

Nc

### SECTION 16: Other information

#### ▼ Full text of H-phrases as mentioned in section 3

H272, May intensify fire; oxidiser.

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H334, May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### The safety data sheet is validated by

Regulatory Chemist

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en