

CLEENOL

For a cleaner, safer world

SAFETY DATA SHEET EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER
Internal identification	EV3/X2
Container size	4x325ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Cleaning agent. Disinfectant. For use in hospital wards, nursing homes, catering, kitchen areas and washrooms.
-----------------	--

1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

ALCOHOLS, C12-C14, ETHOXYLATED	1-5%
CAS number: 68439-50-9	EC number: 500-213-3
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Keep affected person under observation. Get medical attention if a large quantity has been ingested.
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if symptoms are severe or persist. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Spray/mists may cause respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin contact	May be harmful in contact with skin.
Eye contact	May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Irritating gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Avoid contamination of ponds or watercourses with washing down water. Discharge of small quantities to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid breathing spray. Avoid contact with skin, eyes and clothing. Avoid release to the environment.

Advice on general occupational hygiene Do not eat or drink while using this product. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly sealed when not in use. Store at temperatures between 0°C and 40°C.

Storage class Chemical storage. Corrosive storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-AMINOETHANOL

Long-term exposure limit (8-hour TWA): WEL 3 ppm 7.6 mg/m³

Short-term exposure limit (15-minute): WEL 6 ppm 15 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilation requirements.

Personal protection Avoid breathing spray or mist.

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

Eye/face protection	No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber. Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC). To protect hands from chemicals, gloves should comply with European Standard EN374.
Hygiene measures	Wash contaminated skin thoroughly after handling.
Respiratory protection	No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Red.
Odour	Odourless.
pH	pH (concentrated solution): 11.8
Initial boiling point and range	100°C
Flash point	Not applicable.
Relative density	~ 1.03 @ 20°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not determined.
Viscosity	Non-viscous.
Explosive properties	Not applicable.
Oxidising properties	Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index	~18.2
Volatile organic compound	This product contains a maximum VOC content of <1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
------------------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
---	---

10.4. Conditions to avoid

Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
----------------------------	---

10.5. Incompatible materials

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

Materials to avoid Do not mix with other cleaning products.

10.6. Hazardous decomposition products

Hazardous decomposition products No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 3,759.4

Acute toxicity - dermal

ATE dermal (mg/kg) 22,222.22

Acute toxicity - inhalation

ATE inhalation (gases ppm) 90,909.09

ATE inhalation (vapours mg/l) 222.22

ATE inhalation (dusts/mists mg/l) 30.3

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Ingestion May be harmful if swallowed.

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Very toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not applicable.

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760
UN No. (ADN)	1760

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12 - C16) ALKYL DIMETHYL, CHLORIDES)
Proper shipping name (IMDG)	CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12 - C16) ALKYL DIMETHYL, CHLORIDES)
Proper shipping name (ICAO)	CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12 - C16) ALKYL DIMETHYL, CHLORIDES)
Proper shipping name (ADN)	CORROSIVE LIQUID, N.O.S. (QUATERNARY AMMONIUM COMPOUNDS, BENZYL (C12 - C16) ALKYL DIMETHYL, CHLORIDES)

14.3. Transport hazard class(es)

ADR/RID class	8
ADR/RID classification code	C9
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III

14.5. Environmental hazards

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	<p>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</p> <p>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</p> <p>Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).</p> <p>Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).</p>
Guidance	<p>EH40/2005 Workplace exposure limits</p> <p>Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)</p> <p>Health and Safety Executive</p>

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	13/04/2021
Revision	17
Supersedes date	13/04/2021
SDS number	20676

EVOLUTION X2 EV3 SURFACE CLEANER AND SANITIZER

Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.
----------------------------------	--

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.