CLEENOL For a cleaner, safer world

SAFETY DATA SHEET MIXXIT CONCENTRATED TOILET CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name MIXXIT CONCENTRATED TOILET CLEANER

Internal identification **MXX619**

Container size 2x2L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Toilet cleaner and descaler.

1.3. Details of the supplier of the safety data sheet

Supplier Cleenol Group Ltd

> Neville House Beaumont Road Banbury

Oxon OX16 1RB

UK

Tel: +44 (0)1295 251721 sales@cleenol.co.uk

1.4. Emergency telephone number

Emergency telephone In case of a medical emergency following exposure to a chemical, call NHS Direct in England

or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Corr. 1A - H314

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms







Signal word Danger

H226 Flammable liquid and vapour. Hazard statements

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Revision date: 04/06/2021 Revision: 17 Supersedes date: 25/02/2021

MIXXIT CONCENTRATED TOILET CLEANER

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe vapour/ spray. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Contains 2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL

Supplementary precautionary

statements

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P264 Wash contaminated skin thoroughly after handling.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

CITRIC ACID MONOHYDRATE 10-30%

CAS number: 5949-29-1 EC number: 691-328-9

Classification

Skin Irrit. 2 - H315

2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL 10-30%

CAS number: 25307-17-9 EC number: 246-807-3 REACH registration number: 01-

2119510876-35-XXXX

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Acute Tox. 4 - H302 Skin Corr. 1A - H314 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Revision date: 04/06/2021 Revision: 17 Supersedes date: 25/02/2021

MIXXIT CONCENTRATED TOILET CLEANER

ETHANOL 10-30%

CAS number: 64-17-5 EC number: 200-578-6 REACH registration number: 01-

2119457610-43-XXXX

Classification

Flam. Liq. 2 - H225

SODIUM P-CUMENESULPHONATE 5-10%

CAS number: 15763-76-5 EC number: 239-854-6 REACH registration number: 01-

2119489411-37-XXXX

Classification

Eye Irrit. 2 - H319

TOLUENE <1%

CAS number: 108-88-3 EC number: 203-625-9

Classification

Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. No special treatment required.

Ingestion Do not induce vomiting unless under the direction of medical personnel. Rinse mouth

thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily

available. Get medical attention if a large quantity has been ingested.

Skin contact After contact with skin, take off immediately all contaminated clothing, and wash immediately

with plenty of water. Get medical attention if symptoms are severe or persist after washing.

Eye contact May cause permanent damage if eye is not immediately irrigated. Remove any contact lenses

and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at

least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation Considered to be a low inhalation hazard at normal workplace temperatures.

IngestionCorrosive. May cause severe internal injury.Skin contactMay cause serious chemical burns to the skin.

Eye contact May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

Specific treatments Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water, if avoidable.

5.2. Special hazards arising from the substance or mixture

Specific hazards Flammable liquid and vapour.

5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Move containers from fire area if it can be done without

risk. Avoid the spillage or runoff entering drains, sewers or watercourses.

Special protective equipment

for firefighters

Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will

provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Provide adequate ventilation. Take care as floors

and other surfaces may become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge to the aquatic environment. Avoid or minimise the creation of any

environmental contamination.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb in vermiculite, dry sand or earth and place into containers. Avoid contamination of

ponds or watercourses with washing down water. Absorb small quantities with paper towels and evaporate in a safe place. Discharge of small quantities to the sewer with plenty of water

may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing.

Advice on general

occupational hygiene

Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Keep container tightly

sealed when not in use. Keep at temperature not exceeding 24°C. Keep away from combustible material. Keep away from heat, sparks and open flame. Store locked up.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide

(PUG) for further information.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

CITRIC ACID MONOHYDRATE

Long-term exposure limit (8-hour TWA): 4 mg/m³ Short-term exposure limit (15-minute): 10 mg/m³

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Short-term exposure limit (15-minute): WEL

TOLUENE

Long-term exposure limit (8-hour TWA): WEL 50 ppm(Sk) 191 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 574 mg/m3(Sk)

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible.

gloves made of the following material: Rubber (natural, latex). Nitrile rubber. To protect hands

from chemicals, gloves should comply with European Standard EN374.

Hygiene measures Wash hands thoroughly after handling. Wash contaminated clothing before reuse.

Respiratory protection No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Blue.

Odour Alcoholic.

pH (concentrated solution): 2.5 - 3.0

Initial boiling point and range 100°C @ 760 mm Hg

Flash point 29°C Pensky-Martens closed cup.

Relative density ~ 1.06 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Not determined.

Decomposition Temperature Not determined.

Viscosity 700 - 1500 cP @ 20°C Slightly viscous.

Revision date: 04/06/2021 Revision: 17 Supersedes date: 25/02/2021

MIXXIT CONCENTRATED TOILET CLEANER

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 38 - 42

SECTION 10: Stability and reactivity

10.1. Reactivity

ReactivityThere are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

ATE oral (mg/kg) 2,777.78

Skin corrosion/irritation

Skin corrosion/irritation Causes severe burns.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Inhalation The product is considered to be a low hazard under normal conditions of use.

Ingestion Corrosive. May be harmful if swallowed.

Skin contact Contact with concentrated chemical may cause severe skin damage.

Eye contact Causes serious eye damage.

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Very toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No potential for bioaccumulation.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal

contractor.

Disposal methods Dispose of contents/container in accordance with local regulations. Following dilution,

discharge to the sewer with plenty of water may be permitted.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 2920

UN No. (IMDG) 2920

UN No. (ICAO) 2920

UN No. (ADN) 2920

14.2. UN proper shipping name

Proper shipping name

 ${\tt CORROSIVE\ LIQUID,\ FLAMMABLE,\ N.O.S.\ (2,2'-(OCTADEC-9-ENYLIMINO)\ BISETHANOL)}$

(ADR/RID)

Proper shipping name (IMDG) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

Proper shipping name (ICAO) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

Proper shipping name (ADN) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (2,2'-(OCTADEC-9-ENYLIMINO) BISETHANOL)

14.3. Transport hazard class(es)

ADR/RID class 8

ADR/RID subsidiary risk 3

ADR/RID classification code CF1

ADR/RID label 8

IMDG class 8

IMDG subsidiary risk 3

ICAO class/division 8

ICAO subsidiary risk 3

ADN class 8

ADN subsidiary risk 3

Transport labels





14.4. Packing group

ADR/RID packing group ||

IMDG packing group II

ICAO packing group

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-E, S-C

ADR transport category 2

Emergency Action Code •3W

Hazard Identification Number 83

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Guidance EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances

Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Regulatory Chemist

Revision date 04/06/2021

Revision 17

Supersedes date 25/02/2021

SDS number 21253

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.