



## SAFETY DATA SHEET

### AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

<b>Product name</b>	AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE
<b>Internal identification</b>	TCFR20, TCFR200
<b>Container size</b>	20L, 200L

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Cleaning agent. For use through pressure cleaners and hot water/steam cleaners.
------------------------	---

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
-----------------	---

##### 1.4. Emergency telephone number

<b>Emergency telephone</b>	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
----------------------------	---

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Eye Irrit. 2 - H319 Skin Sens. 1 - H317
<b>Environmental hazards</b>	Not Classified

##### 2.2. Label elements

###### Hazard pictograms



<b>Signal word</b>	Warning
<b>Hazard statements</b>	H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

<b>Precautionary statements</b>	<p>P261 Avoid breathing vapour/ spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
---------------------------------	--

**Contains** 2-METHYLISOTHIAZOL-3(2H)-ONE

**Detergent labelling** < 5% amphoteric surfactants, Contains BRONOPOL (INN)

### 2.3. Other hazards

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

<b>ALCOHOLS, C12-C14, ETHOXYLATED</b> <span style="float: right;"><b>1-5%</b></span> CAS number: 68439-50-9                      EC number: 500-213-3
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412
<b>β-ALANINE, N-(2-CARBOXYETHYL)-, N-COCO ALKYL DERIV., DISODIUM SALT</b> <span style="float: right;"><b>1-5%</b></span> CAS number: 90170-43-7                      EC number: 290-476-8
<b>Classification</b> Eye Irrit. 2 - H319
<b>BRONOPOL (INN)</b> <span style="float: right;"><b>&lt;1%</b></span> CAS number: 52-51-7                      EC number: 200-143-0                      REACH registration number: 01-2119980938-15-XXXX M factor (Acute) = 10
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

<b>2-METHYLISOTHIAZOL-3(2H)-ONE</b>	<b>&lt;1%</b>
CAS number: 2682-20-4	EC number: 220-239-6
M factor (Acute) = 10	M factor (Chronic) = 1
<b>Classification</b> Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Due to the physical nature of this product, exposure by this route is unlikely.
<b>Ingestion</b>	Give plenty of water to drink. Give milk instead of water if readily available. Get medical attention if a large quantity has been ingested. If in doubt, get medical attention promptly.
<b>Skin contact</b>	Remove contaminated clothing and rinse skin thoroughly with water.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if symptoms are severe or persist after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	May produce an allergic reaction.
<b>Inhalation</b>	The product is not believed to present a hazard due to its physical nature.
<b>Ingestion</b>	No adverse effects known. May be harmful if swallowed.
<b>Skin contact</b>	May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	No specific recommendations.
<b>Specific treatments</b>	Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	None known.

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	None known.
<b>Hazardous combustion products</b>	Irritating gases or vapours.

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

### 5.3. Advice for firefighters

<b>Protective actions during firefighting</b>	Fight fire with normal precautions from a reasonable distance. Avoid breathing fire gases or vapours.
<b>Special protective equipment for firefighters</b>	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with eyes and prolonged skin contact. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery.
-----------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions</b>	The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Discharge of small quantities to the sewer with plenty of water may be permitted.
--------------------------------	---

### 6.4. Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. For waste disposal, see Section 13.
------------------------------------	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

<b>Usage precautions</b>	For professional users only. Avoid contact with eyes and prolonged skin contact.
<b>Advice on general occupational hygiene</b>	Wash contaminated skin thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Keep only in the original container. Keep container tightly sealed when not in use. Store at temperatures between 0°C and 40°C.
<b>Storage class</b>	Chemical storage.

### 7.3. Specific end use(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.
----------------------------	---

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective equipment



<b>Appropriate engineering controls</b>	No specific ventilation requirements.
---	---------------------------------------

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

<b>Eye/face protection</b>	No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
<b>Hand protection</b>	It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Rubber (natural, latex). Nitrile rubber.
<b>Hygiene measures</b>	Wash contaminated skin thoroughly after handling.
<b>Respiratory protection</b>	No specific requirements are anticipated under normal conditions of use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Yellow.
<b>Odour</b>	Almost odourless.
<b>pH</b>	pH (concentrated solution): 9.3 - 9.6
<b>Initial boiling point and range</b>	100°C
<b>Flash point</b>	Not applicable.
<b>Relative density</b>	~ 1.013 @ 20°C
<b>Solubility(ies)</b>	Soluble in water.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Non-viscous.
<b>Explosive properties</b>	Not applicable.
<b>Oxidising properties</b>	Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

<b>Refractive index</b>	6 - 8
<b>Volatile organic compound</b>	This product contains a maximum VOC content of <1 %.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, no hazardous reactions will occur.
---	--

#### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
----------------------------	---

#### 10.5. Incompatible materials

<b>Materials to avoid</b>	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---------------------------	--

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

**ATE oral (mg/kg)** 24,691.36

### SECTION 12: Ecological information

**Ecotoxicity** The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

#### 12.1. Toxicity

#### 12.2. Persistence and degradability

**Persistence and degradability** Moderately biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** The product is not bioaccumulating.

#### 12.4. Mobility in soil

**Mobility** The product is miscible with water and may spread in water systems.

#### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

#### 12.6. Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78**

**and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

#### **Guidance**

EH40/2005 Workplace exposure limits

Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations 2002 (as amended)

Health and Safety Executive

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

## SECTION 16: Other information

<b>Issued by</b>	Regulatory Chemist
<b>Revision date</b>	11/06/2020
<b>Revision</b>	10
<b>Supersedes date</b>	05/05/2017
<b>SDS number</b>	10131

## AUTO CLEEN REGULAR TRAFFIC FILM REMOVER - CAUSTIC FREE

### Hazard statements in full

H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H311 Toxic in contact with skin.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.