

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

Virabact Concentrate

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Virabact Concentrate

Product no.

064VBC/5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Biocide, Cleaning product

Restricted to professional users.

Product code (A.I.S.E.)

AISE-P314 / Surface disinfactant. Manual process.

AISE-P301 / General purpose cleaner. Manual process.

Use descriptors (REACH)

Product category	Description	
PC 8	Biocidal Products (e.g. Disinfectants, pest control)	
PC 35	Washing and Cleaning Products (including solvent based products)	

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon, OX16 1RB United Kingdom Tel: +44(0) 1295 251 721

www.cleenol.com

E-mail

technical.enquiries@cleenol.co.uk

Revision

25/09/2023 SDS Version

1.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Acute 1; H400, Very toxic to aquatic life.


Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878





According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.

Skin contact

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

Eye contact

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Ingestion

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds Nitrogen oxides (NO_x) Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery. 6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities. 6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents. 6.4. Reference to other sections See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures. SECTION 7: Handling and storage 7.1. Precautions for safe handling It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment. Avoid direct contact with the product. Avoid contact during pregnancy and while nursing. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection. 7.2. Conditions for safe storage, including any incompatibilities Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material Keep only in original packaging. Storage temperature 6 - 40°C Dry, cool and well ventilated Incompatible materials No specific requirements 7.3. Specific end use(s) This product should only be used for applications quoted in section 1.2. SECTION 8: Exposure controls/personal protection 8.1. Control parameters 2-aminoethanol Long term exposure limit (8 hours) (ppm): 1 Long term exposure limit (8 hours) (mg/m³): 2,5 Short term exposure limit (15 minutes) (ppm): 3 Short term exposure limit (15 minutes) (mg/m³): 7,6

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	1.5 mg/kg bw/day

Annotations:

2-aminoethanol



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Long term – Systemic effects - Workers	Dermal	3 mg/kg bw/day
Long term – Local effects - General population	Inhalation	280 µg/m³
Long term – Local effects - Workers	Inhalation	510 µg/m³
Long term – Systemic effects - General population	Inhalation	180 µg/m³
Long term – Systemic effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Oral	1.5 mg/kg bw/day
Alcohols, C12-14, ethoxylated		
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	66.7 mg/kg bw/da
Long term – Systemic effects - Workers	Dermal	187 mg/kg bw/da
Long term – Systemic effects - General population	Inhalation	3.48 mg/m ³
Long term – Systemic effects - Workers	Inhalation	19.6 mg/m ³
Long term – Systemic effects - General population	Oral	1.33 mg/kg bw/da
Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBA	C/BKC (C12-16))	
Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	3.4 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5.7 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.64 mg/m³
Long term – Systemic effects - Workers	Inhalation	3.96 mg/m ³
Long term – Systemic effects - General population	Oral	3.4 mg/kg bw/day
NEC 2-aminoethanol		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		70 µg/L
Freshwater sediment		357 µg/kg
		28 µg/L
Intermittent release (freshwater)		28 µg/L
Intermittent release (freshwater) Marine water		7 μg/L
Marine water		7 μg/L
Marine water Marine water sediment		7 μg/L 35.7 μg/kg
Marine water Marine water sediment Sewage treatment plant		7 μg/L 35.7 μg/kg 100 mg/L
Marine water Marine water sediment Sewage treatment plant Soil	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure:	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC:
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater sediment	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater Freshwater sediment Intermittent release (freshwater)	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg 445 ng/L
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water)	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg 445 ng/L 44.5 ng/L
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water) Marine water	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg 445 ng/L 44.5 ng/L 340 ng/L
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water) Marine water Marine water sediment	Duration of Exposure:	7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg 445 ng/L 44.5 ng/L 340 ng/L 8.95 μg/kg
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water) Marine water Marine water sediment Sewage treatment plant		7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg 445 ng/L 44.5 ng/L 340 ng/L 8.95 μg/kg 200 μg/L
Marine water Marine water sediment Sewage treatment plant Soil Alcohols, C12-14, ethoxylated Route of exposure: Freshwater Freshwater sediment Intermittent release (freshwater) Intermittent release (marine water) Marine water Marine water Sewage treatment plant Soil		7 μg/L 35.7 μg/kg 100 mg/L 1.29 mg/kg PNEC: 3.4 μg/L 89.5 μg/kg 445 ng/L 44.5 ng/L 340 ng/L 8.95 μg/kg 200 μg/L



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Freshwater sediment	68 mg/kg
Intermittent release (freshwater)	160 ng/L
Intermittent release (marine water)	207 ng/L
Marine water	96 ng/L
Marine water sediment	15.75 mg/kg
Sewage treatment plant	160 μg/L
Soil	1.66 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment

Туре	Class	Colour	Standards	
No special when used as intended.				
Skin protection				
Recommended	Type/Category	Standard	S	
Dedicated work clothing should be worn.	-	-		R
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	-	EN388	
Eye protection				_
Work situation	Туре	Standard	s	
In the event of prolonged exposure o	Safety glasses r	EN166		

high concentrations



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties
Physical state Liquid
Colour Colourless
Odour / Odour threshold
Characteristic
pH 11.5 - 12.5
Density (g/cm³)
- Relative density 1.029 (20 °C)
Kinematic viscosity Not applicable - product is a liquid
Particle characteristics Does not apply to liquids.
Phase changes
Melting point/Freezing point (°C) Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C) Does not apply to liquids.
Boiling point (°C) Testing not relevant or not possible due to the nature of the product.
Vapour pressure Testing not relevant or not possible due to the nature of the product.
Relative vapour density Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
Flash point (°C) Testing not relevant or not possible due to the nature of the product.
Flammability (°C)
Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product. Solubility
Solubility in water Very soluble
n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L)
Testing not relevant or not possible due to the nature of the product. 9.2. Other information
Other physical and chemical parameters
No data available.
Oxidizing properties Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid Storage in the open is not recommended. Extremes of temperature 10.5. Incompatible materials No specific requirements 10.6. Hazardous decomposition products Thermal decomposition may produce corrosive vapours. SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. Skin corrosion/irritation Causes severe skin burns and eye damage. Serious eye damage/irritation Causes serious eye damage. **Respiratory sensitisation** Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. 11.2. Information on other hazards Long term effects Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects. Endocrine disrupting properties Not applicable. Other information None known.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

12.6. Endocrine disrupting properties Not applicable.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12- 16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9	Ш	Yes	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12- 16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9	Ш	Yes	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
ΙΑΤΑ	UN1760	CORROSIVE LIQUID, N.O.S. (Alkyl (C12- 16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)))	Transport hazard class: 8 Label: 8 Classification code: C9	III	Yes	See below for additional information.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 14.5 Other PG* Env** information:
	(¥)	
* Packing group		
** Environmental hazards		

Additional information ADR / See Table A Section 3.2.1 for any information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

Biocidal Products Regulations

Product type: PT2 - Disinfectants and algaecides not intended for direct application to humans or animals, PT4 -Food and feed area

Restrictions on use

Directions for use and dose rate

Additional information

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Non-ionic surfactants

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Management of Health and Safety at Work Regulations 1999.

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

- H312, Harmful in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H318, Causes serious eye damage.
- H332, Harmful if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

PC 8 = Biocidal Products (e.g. Disinfectants, pest control)

PC 35 = Washing and Cleaning Products (including solvent based products)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law. The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

Regulatory Chemist

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en