

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### SAFETY DATA SHEET

# Senses White Antibacterial Hand Wash

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

Senses White Antibacterial Hand Wash

Product no.

SEN-WABHW-6X500, SEN-WABHW-3X800, SEN-WABHW-2X5

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
  - ▼ Relevant identified uses of the substance or mixture

Biocide, Cosmetic product

Use descriptors (REACH)

| Product category | Description  |
|------------------|--|
| PC 39            | Cosmetics, personal care                             |
| PC 8             | Biocidal Products (e.g. Disinfectants, pest control) |

### Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

### Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon,

OX16 1RB

**United Kingdom** 

Tel: +44(0) 1295 251 721

www.cleenol.com

#### Manufacturer

## Cleenol Group Ltd.

Neville House, Beaumont Road, Banbury, Oxon,

**OX16 1RB** 

United Kingdom

Tel: +44(0) 1295 251 721

www.cleenol.com

# E-mail

technical.enquiries@cleenol.co.uk

## Revision

06/11/2023

## **SDS Version**

1.0

## Date of previous version

04/01/2023 (1.0)

## 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

### SECTION 2: Hazards identification

### 2.1. ▼ Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

▼ Hazard pictogram(s)



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Not applicable.

**▼** Signal word

Not applicable.

▼ Hazard statement(s)

Not applicable.

Precautionary statement(s)

**▼** General

\_

Prevention

-

**▼** Response

-

Storage

-

Disposal

▼ Hazardous substances

None known.

**▼**Additional labelling

EUH210, Safety data sheet available on request.

Active substance(s):

2-phenoxyethanol (0.9 g/100g)

## 2.3. Other hazards

## Additional warnings

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture (product does not contain any substances considered to most the criteria classifying them.)

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. ▼ Mixtures

| Product/substance                                     | Identifiers  | % w/w | Classification  | Note |
|---|--|-------|---|------|
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | CAS No.: 68891-38-3<br>EC No.: 500-234-8<br>UK-REACH:<br>Index No.:            | 1-3%  | Skin Irrit. 2, H315<br>Eye Dam. 1, H318 (SCL: 10.00 %)<br>Eye Irrit. 2, H319 (SCL: 5.00 %)<br>Aquatic Chronic 3, H412 | [19] |
| Citric Acid Monohydrate                               | CAS No.: 5949-29-1<br>EC No.: 611-842-9<br>UK-REACH:<br>Index No.:             | 1-3%  | Eye Irrit. 2, H319  |      |
| 2-phenoxyethanol                                      | CAS No.: 122-99-6<br>EC No.: 204-589-7<br>UK-REACH:<br>Index No.: 603-098-00-9 | 0.9%  | Acute Tox. 4, H302<br>Eye Dam. 1, H318<br>STOT SE 3, H335   |      |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

#### SECTION 4: First aid measures

### 4.1. Description of first aid measures

## General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

## Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

### **▼** Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### ▼ Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### **Burns**

Not applicable.

## 4.2. ▼ Most important symptoms and effects, both acute and delayed

None known.

### 4.3. ▼ Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# Information to medics

Bring this safety data sheet or the label from this product.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

. Carbon oxides (CO / CO2)

### 5.3. ▼ Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

#### SECTION 6: Accidental release measures

### 6.1. ▼ Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

# 6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## Recommended storage material

No specific requirements

# Storage temperature

0 - 40°C

Dry, cool and well ventilated

# ▼ Incompatible materials

No specific requirements

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

## **▼** DNEL

2-phenoxyethanol

| Duration:  | Route of exposure: | DNEL:              |
|--|--------------------|--------------------|
| Long term – Systemic effects - General population  | Dermal             | 10.42 mg/kg bw/day |
| Long term – Systemic effects - Workers             | Dermal             | 20.83 mg/kg bw/day |
| Long term – Local effects - General population     | Inhalation         | 2.41 mg/m³         |
| Long term – Local effects - Workers                | Inhalation         | 5.7 mg/m³          |
| Long term – Systemic effects - General population  | Inhalation         | 2.41 mg/m³         |
| Long term – Systemic effects - Workers             | Inhalation         | 5.7 mg/m³          |
| Long term – Systemic effects - General population  | Oral               | 9.23 mg/kg bw/day  |
| Short term – Systemic effects - General population | Oral               | 9.23 mg/kg bw/day  |

# Alcohols, C12-14, ethoxylated, sulfates, sodium salts

| Duration:   | Route of exposure: | DNEL:               |
|---|--------------------|---------------------|
| Long term – Local effects - General population    | Dermal             | 79 μg/cm²           |
| Long term – Local effects - Workers               | Dermal             | 132 μg/cm²          |
| Long term – Systemic effects - General population | Dermal             | 40.178 mg/kg bw/day |
| Long term – Systemic effects - Workers            | Dermal             | 80.357 mg/kg bw/day |
| Long term – Systemic effects - General population | Inhalation         | 1.4 mg/m³           |
| Long term – Systemic effects - Workers            | Inhalation         | 7.9 mg/m³           |
| Long term – Systemic effects - General population | Oral               | 1.125 mg/kg bw/day  |

Propane-1,2-diol



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Duration:   | Route of exposure: | DNEL:                |
|---|--------------------|----------------------|
| Long term – Local effects - General population    | Inhalation         | 10 mg/m <sup>3</sup> |
| Long term – Local effects - Workers               | Inhalation         | 10 mg/m³             |
| Long term – Systemic effects - General population | Inhalation         | 50 mg/m³             |
| Long term – Systemic effects - Workers            | Inhalation         | 168 mg/m³            |

#### **▼ PNEC**

## 2-phenoxyethanol

| Route of exposure:                | Duration of Exposure: | PNEC:       |
|-----------------------------------|-----------------------|-------------|
| Freshwater                        |                       | 943 μg/L    |
| Freshwater sediment               |                       | 7.237 mg/kg |
| Intermittent release (freshwater) |                       | 3.44 mg/L   |
| Marine water                      |                       | 94.3 μg/L   |
| Marine water sediment             |                       | 723.7 μg/kg |
| Sewage treatment plant            |                       | 36 mg/L     |
| Soil                              |                       | 1.31 mg/kg  |

## Alcohols, C12-14, ethoxylated, sulfates, sodium salts

| Route of exposure:                | Duration of Exposure: | PNEC:           |
|-----------------------------------|-----------------------|-----------------|
| Freshwater                        |                       | 52-240 μg/L     |
| Freshwater sediment               |                       | 200-916.8 μg/kg |
| Intermittent release (freshwater) |                       | 71 μg/L         |
| Marine water                      |                       | 5.2-24 μg/L     |
| Marine water sediment             |                       | 20-91.7 μg/kg   |
| Sewage treatment plant            |                       | 1-10 g/L        |
| Soil                              |                       | 7.5 mg/kg       |

# Propane-1,2-diol

| Duration of Exposure: | PNEC:                 |
|-----------------------|-----------------------|
|                       | 260 mg/L              |
|                       | 572 mg/kg             |
|                       | 183 mg/L              |
|                       | 26 mg/L               |
|                       | 57.2 mg/kg            |
|                       | 20 g/L                |
|                       | 50 mg/kg              |
|                       | Duration of Exposure: |

### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

## Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

## ▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.

## Individual protection measures, such as personal protective equipment

#### Generally

Use only UKCA marked protective equipment.

#### Respiratory Equipment

| respiratory Equipment             |                      |                          |           |  |
|-----------------------------------|----------------------|--------------------------|-----------|--|
| Туре                              | Class                | Colour                   | Standards |  |
| No special when used as intended. |                      |                          |           |  |
| kin protection                    |                      |                          |           |  |
| Recommended                       | Type/Category        | Standard                 | 5         |  |
| No special when used as intended. | -                    | -                        |           |  |
| land protection                   |                      |                          |           |  |
| Material                          | Glove thickness (mm) | Breakthrough time (min.) | Standards |  |
| No specific requirements          | -                    | -                        | -         |  |
| ye protection                     |                      |                          |           |  |
| Туре                              | Standards            |                          |           |  |
| No specific                       | -                    |                          |           |  |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state

requirements

Liquid

Colour

White

Odour / Odour threshold

Mild

**▼**рН

2 - 3

▼ Density (g/cm³)

▼ Relative density 1.02 (20 °C)

▼ Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

**▼** Dynamic viscosity

2500 - 4500 (20 °C)

Particle characteristics

Does not apply to liquids.

### Phase changes

# Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (waxes and pastes) (°C)

Does not apply to liquids.

## Boiling point (°C)

Testing not relevant or not possible due to the nature of the product.

## Vapour pressure

Testing not relevant or not possible due to the nature of the product.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

## Relative vapour density

Testing not relevant or not possible due to the nature of the product.

#### Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

### Data on fire and explosion hazards

### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

### Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

#### Auto-ignition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

### Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product.

#### Solubility

Solubility in water

Very soluble

## n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product.

### Solubility in fat (q/L)

Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information

## Other physical and chemical parameters

No data available.

## ▼ Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

## 10.4. ▼ Conditions to avoid

Storage in the open is not recommended.

# 10.5. ▼Incompatible materials

No specific requirements

## 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### ▼ Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

## Carcinogenicity



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

## **▼** Long term effects

None known.

#### ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have hormone-disrupting properties in relation to health.

#### Other information

None known.

## SECTION 12: Ecological information

#### 12.1. Toxicity

No data available.

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

# 12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

None known.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

## EWC code

Not applicable.

## Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

|      | 14.1 14.2<br>UN / ID UN proper shipping name | 14.3<br>Hazard class(es) | 14.4 14.5 Other<br>PG* Env** information: |
|------|--|--------------------------|---|
| ADR  | -  | -                        |   |
| IMDG |  | -                        |   |
| IATA |  | -                        |   |

<sup>\*</sup> Packing group

<sup>\*\*</sup> Environmental hazards



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## ▼ Restrictions for application

No special.

## Demands for specific education

No specific requirements.

### SEVESO - Categories / dangerous substances

Not applicable.

# **Biocidal Products Regulations**

Product type: PT1 - Human hygiene

Restrictions on use

-

#### Directions for use and dose rate

## Additional information

## ▼ Labelling of contents according to Regulation 1223/2009 on cosmetic products "Ingredients"

SODIUM LAURETH SULFATE (SURFACTANTS), CITRIC ACID (BUFFERING AGENTS), PHENOXYETHANOL (ANTIMICROBIALS), COCAMIDOPROPYL BETAINE (SURFACTANTS), C12-14 PARETH-12 (SURFACTANTS), COCAMIDE DEA (SURFACTANTS), GLYCOL STEARATE (OPACIFIERS), GLYCERIN (EMOLLIENTS), PARFUM, METHYLCHLOROISOTHIAZOLINONE AND METHYLISOTHIAZOLINONE (PRESERVATIVES)

# Additional information

Not applicable.

# **▼** Sources

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment

No

## SECTION 16: Other information

## ▼ Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H412, Harmful to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

PC 39 = Cosmetics, personal care

PC 8 = Biocidal Products (e.g. Disinfectants, pest control)

## Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **▼**Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

## ▼ The safety data sheet is validated by

Regulatory Chemist

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en