CLEENOL For a cleaner, safer world

SAFETY DATA SHEET GOLD LABEL WASHAID

SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	GOLD LABEL WASHAID
Internal identification	020792X5, 020799
Container size	2x5L, 20L
1.2. Relevant identified uses	s of the substance or mixture and uses advised against
Identified uses	Detergent for washing crockery and cutlery. Non-foaming product. For use only in machine dishwashers using the Cleenol Automatic Dosing System (ADS).
Uses advised against	Not to be used for hand dishwashing.
1.3. Details of the supplier o	f the safety data sheet
Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
1.4. Emergency telephone n	number
Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
SECTION 2: Hazards identif	fication
2.1. Classification of the sub	estance or mixture
Classification (EC 1272/200	
Physical hazards	Not Classified
Health hazards	Skin Corr. 1A - H314 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411
2.2. Label elements	
Hazard pictograms	
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P363 Wash contaminated clothing before reuse.
Contains	POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE
Supplementary precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P310 Immediately call a POISON CENTER/ doctor. P391 Collect spillage. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

Γ

SECTION 3: Composition/information on ingredients

3.2. Mixtures

POTASSIUM HYDROXIDE		1	0-30%
CAS number: 1310-58-3	EC number: 215-181-3	REACH registration number: 01- 2119487136-33-XXXX	
Classification			
Met. Corr. 1 - H290			
Acute Tox. 4 - H302			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			
SODIUM HYPOCHLORITE			1-5%
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01- 2119488154-34-XXXX	
M factor (Acute) = 10	M factor (Chronic) = 1		
Classification			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
Aquatic Chronic 1 - H410			
SODIUM HYDROXIDE			<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27-XXXX	
Classification			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid mea	asures	
Inhalation	Unlikely route of exposure as the product does not contain volatile substances.	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention immediately.	
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if symptoms are severe or persist after washing.	
Eye contact	Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.	
4.2. Most important symptoms	and effects, both acute and delayed	
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.	
Ingestion	Harmful: possible risk of irreversible effects if swallowed. May cause severe internal injury. May cause chemical burns in mouth, oesophagus and stomach.	
Skin contact	May cause serious chemical burns to the skin.	
Eye contact	Causes serious eye damage.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.	
Specific treatments	Treat symptomatically.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	None known.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	Corrosive gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Fight fire with normal precautions from a reasonable distance.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, prot	tective equipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.	
6.2. Environmental precautions	<u>8</u>	
Environmental precautions	Avoid discharge to the aquatic environment.	

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Following dilution, discharge to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Usage precautions	For professional users only. Handle and open container with care. Avoid contact with skin, eyes and clothing.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Keep only in the original container. Container must be kept tightly closed when not in use.	
Storage class	Chemical storage. Corrosive storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.	

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL Short-term exposure limit (15-minute): WEL 2 mg/m³

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³ WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	It is recommended that chemical-resistant, impervious gloves are worn. Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex). To protect hands from chemicals, gloves should comply with European Standard EN374.
Hygiene measures	Wash promptly if skin becomes contaminated.
Respiratory protection	No specific requirements are anticipated under normal conditions of use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Appearance	Clear liquid.	
Colour	Colourless to pale yellow.	
Odour	Almost odourless.	
рН	pH (concentrated solution): >13.5	
Initial boiling point and range	100°C	
Relative density	~ 1.2 @ 20°C	
Solubility(ies)	Soluble in water.	
Auto-ignition temperature	Not applicable.	
Decomposition Temperature	Not determined.	
Viscosity	Non-viscous.	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Refractive index	25 - 27	
Volatile organic compound	Not applicable.	
SECTION 10: Stability and reactivity		
SECTION TO. Stability and rea		
10.1. Reactivity		
· · · ·	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis.	
10.1. Reactivity Reactivity 10.2. Chemical stability	The reactivity data for this product will be typical of those for the following class of materials:	
10.1. Reactivity Reactivity	The reactivity data for this product will be typical of those for the following class of materials:	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended. reactions Under normal conditions of storage and use, no hazardous reactions will occur. No specific requirements are anticipated under normal conditions of use.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended. reactions Under normal conditions of storage and use, no hazardous reactions will occur.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended. reactions Under normal conditions of storage and use, no hazardous reactions will occur. No specific requirements are anticipated under normal conditions of use. Strong acids.	
10.1. Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended. reactions Under normal conditions of storage and use, no hazardous reactions will occur. No specific requirements are anticipated under normal conditions of use. Strong acids.	
10.1. Reactivity Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended. reactions Under normal conditions of storage and use, no hazardous reactions will occur. No specific requirements are anticipated under normal conditions of use. Strong acids. on products Does not decompose when used and stored as recommended.	
10.1. Reactivity Reactivity Reactivity 10.2. Chemical stability Stability 10.3. Possibility of hazardous Possibility of hazardous Possibility of hazardous reactions 10.4. Conditions to avoid Conditions to avoid 10.5. Incompatible materials Materials to avoid 10.6. Hazardous decomposition products	The reactivity data for this product will be typical of those for the following class of materials: Strong alkalis. Stable at normal ambient temperatures and when used as recommended. reactions Under normal conditions of storage and use, no hazardous reactions will occur. No specific requirements are anticipated under normal conditions of use. Strong acids. In products Does not decompose when used and stored as recommended.	

Acute toxicity - oral

ATE oral (mg/kg)	4,166.67	
Skin corrosion/irritation		
Skin corrosion/irritation	May cause serious chemical burns to the skin.	
Serious eye damage/irritation Serious eye damage/irritation		
Serious eye damage/imtation	n Causes serious eye damage.	
Medical considerations	Pre-existing eye problems.	
SECTION 12: Ecological inform	mation	
Ecotoxicity	Very toxic to aquatic life.	
12.1. Toxicity		
Toxicity	Very toxic to aquatic organisms.	
12.2. Persistence and degrada	ability	
Persistence and degradability	The product contains inorganic substances which are not biodegradable.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.	
12.4. Mobility in soil		
Mobility	The product contains substances which are water-soluble and may spread in water systems.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	erations	
13.1. Waste treatment method		
General information	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.	
Disposal methods	The product is designed and intended for disposal to public sewer after use.	
SECTION 14: Transport information		
14.1. UN number		
UN No. (ADR/RID)	3266	
UN No. (IMDG)	3266	
UN No. (ICAO)	3266	
UN No. (ADN)	3266	
14.2. UN proper shipping nam	<u>e</u>	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)	

Proper shipping name (IMDG)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)
Proper shipping name (ICAO)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM HYPOCHLORITE)
Proper shipping name (ADN)	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE, SODIUM

HYPOCHLORITE)

14.3. Transport hazard class(es)

`````````````````````````````````	<u></u>
ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group	
ADR/RID packing group	I
IMDG packing group	I
ICAO packing group	I
ADN packing group	I

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

IMDG Code segregation group	18. Alkalis
EmS	F-A, S-B
ADR transport category	2
Emergency Action Code	2X
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
	work (as amenueu).

#### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

#### SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	22/03/2021
Revision	20
Supersedes date	22/03/2021
SDS number	10206
Hazard statements in full	<ul> <li>H290 May be corrosive to metals.</li> <li>H302 Harmful if swallowed.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H318 Causes serious eye damage.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> <li>H411 Toxic to aquatic life with long lasting effects.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.